

L Number	Hits	Search Text	DB	Time stamp
-	70	x.121	USPAT; EPO; JPO;	2002/10/01 15:33
_	11	x.121.bsum.	DERWENT; IBM_TDB USPAT;	2002/10/01
	11	X.121.83diii.	EPO; JPO; DERWENT; IBM TDB	15:26
-	1	<pre>((configuration near4 table) and (database and (mib (management adj informaiotn adj base))) and ((mac (media adj access adj control)) near10 address\$4)) and (dns (domain adj name adj (server system)))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/01 17:03
-	0	(configuration near4 table) and (database and (mib (management adj informaiotn adj base))) and x.121	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/01 17:04
-	0	x.121 and (configuration near4 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/01 17:04
-	41	x.121 and ((stor\$4 sav\$4) same address\$4)	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02 17:17
-	7905	configuration near4 table	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 09:39
_	132	(dns (domain adj name adj (server system))) and (configuration near4 table)	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02 09:40
_	357	rdns (revers\$4 adj3 domain adj name adj (server system))	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02 10:03
_	4	(revers\$4 adj3 domain adj name adj (server system))	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02 10:04
	366	address\$4 and (nam\$4 adj2 (look lookup look-up))	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/03
-	100	address\$4 same (nam\$4 adj2 (look lookup look-up))	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02 15:39
_	31	<pre>(configuration near4 table) and (database and (mib (management adj informaiotn adj base))) and ((mac (media adj access adj control)) near10 address\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02 15:37
-	6	(address\$4 same (nam\$4 adj2 (look lookup look-up))) and (address\$4 near10 conver\$6 near10 nam\$4)	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02
-	3	<pre>(address\$4 same (nam\$4 adj2 (look lookup look-up))) and (address\$4 near10 conver\$6 near10 nam\$4) and (sourc\$4 near10 address\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02 15:40
-	241	(address\$4 near10 conver\$6) adj10 nam\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 15:44



-	48	(dns (domain adj name adj (server	USPAT;	2002/10/02
		system)) (domain near3 nam\$4)) and	EPO; JPO;	16:55
		((address\$4 near10 conver\$6) adj10 nam\$4)	DERWENT;	
			IBM_TDB	
-	1	(dns (domain adj name adj (server	USPAT;	2002/10/02
		system)) (domain near3 nam\$4)) and	EPO; JPO;	15:48
		((address\$4 near10 conver\$6) adj10 nam\$4)	DERWENT;	
		and ((mac (media adj access adj control))	IBM TDB	
		near10 address\$4)	_	•
_	2		USPAT;	2002/10/02
		and ((mac (media adj access adj control))	EPO; JPO;	15:48
		near10 address\$4)	DERWENT;	
			IBM TDB	
_	7	(address\$4 same (nam\$4 adj2 (look lookup	USPAT;	2002/10/02
	,	look-up))) and ((mac (media adj access	EPO; JPO;	16:05
		adj control)) near10 address\$4)	DERWENT;	20.00
		adj concroi,, hearto address,,	IBM TDB	
	104	(dns (domain adj name adj (server	USPAT;	2002/10/02
_	104	system))) and (((configuration address\$4	EPO; JPO;	16:42
	-		1	10.42
		rout\$4) near4 table) same (sourc\$4 near10	DERWENT;	
	100	address\$4))	IBM_TDB	2002/10/02
-	100	(dns (domain adj name adj system)) and	USPAT;	2002/10/02
		(((configuration address\$4 rout\$4) near4	EPO; JPO;	16:44
		table) same (sourc\$4 near10 address\$4))	DERWENT;	
			IBM_TDB	
-	57	, , ,	USPAT;	2002/10/02
		((( address\$4 ) near4 table) same	EPO; JPO;	16:45
		(sourc\$4 near10 address\$4))	DERWENT;	
			IBM_TDB	
_	15	x.121 and ((stor\$4 sav\$4) same address\$4)	USPAT;	2002/10/03
		and ((configuration address\$4 rout\$4)	EPO; JPO;	08:43
		near4 table)	DERWENT;	
		,	IBM TDB	
_	11	x.121 and ((stor\$4 sav\$4) same address\$4)	USPAT;	2002/10/03
		and ((configuration address\$4 rout\$4)	EPO; JPO;	09:04
		near4 table) and nam\$4	DERWENT;	
Ì		ineary capital and many i	IBM TDB	
1_	5	x.121 and (nam\$4 same (stor\$4 sav\$4) same	USPAT;	2002/10/03
		address\$4) and ((configuration address\$4)	EPO; JPO;	08:46
		rout\$4) near4 table)	DERWENT;	00.40
		Toutsa) Heara table;		
		( 121 1	IBM_TDB	2002/10/03
_	6	(x.121 and ((stor\$4 sav\$4) same	USPAT;	
		address\$4) and ((configuration address\$4	EPO; JPO;	09:04
		rout\$4) near4 table) and nam\$4) not	DERWENT;	
		(x.121 and (nam\$4 same (stor\$4 sav\$4)	IBM_TDB	
		same address\$4) and ((configuration		
		address\$4 rout\$4) near4 table))		2000/10/00
_	2659	(mac (media adj access adj control))	USPAT;	2002/10/03
		near10 address\$4	EPO; JPO;	09:29
			DERWENT;	
			IBM_TDB	
-	493	address\$4 and wildcard	USPAT;	2003/02/21
			EPO; JPO;	14:32
1	1		DERWENT;	1
			IBM_TDB	
-	9	(address\$4 and wildcard) and ((mac (media	USPAT;	2002/10/03
		adj access adj control)) near10	EPO; JPO;	09:49
		address\$4) and ((nam\$4 address\$4) same	DERWENT;	
		(stor\$4 sav\$4) same table)	IBM TDB	İ
-	91		USPAT;	2002/10/03
		near10 address\$4) and ((nam\$4 ) same	EPO; JPO;	09:49
		(stor\$4 sav\$4) same table)	DERWENT;	
		STORY . SALT .   SAME CASTO	IBM TDB	
_	564	database and (mib (management adj	USPAT;	2002/10/03
_	364			09:49
	}	informaiotn adj base))	EPO; JPO;	09.49
			DERWENT;	
	l		IBM_TDB	

-	15	((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaiotn adj base))) and ((nam\$4) same (stor\$4 sav\$4) same	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/03
	8	table) (dns (domain adj name adj system)) and (database and (mib (management adj informaiotn adj base))) and (nam\$4 same	USPAT; EPO; JPO; DERWENT;	2002/10/03 10:38
-	144	address\$4 same (sav\$4 stor\$4) same (database table)) map\$5 adj7 address\$4 adj7 nam\$4	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/10/03 10:47
-	8	(map\$5 adj7 address\$4 adj7 nam\$4) and (mib (management adj informaiotn adj base))	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/10/03 10:47
_	37	(dns (domain adj name adj (server system))) and (configuration near4 table) and (sourc\$4 near10 address\$4)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/10/03
-	6147	((stor\$4 sav\$4) same (source near4 address\$4))	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/10/03 11:54
-	506	(((stor\$4 sav\$4) same (source near4 address\$4))) and ((mac (media adj access adj control)) near10 address\$4)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/03 11:54
_	198	<pre>((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same</pre>	USPAT; EPO; JPO; DERWENT;	2002/10/03 11:56
_	25	<pre>(table database)) ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4)) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base)))</pre>	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 13:03
_	5	<pre>((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base)))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 13:37
_	5	and (address\$4 near10 pool\$4) ((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) and ((stor\$4 adj5 forward\$4) same (table	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 13:39
_	25	<pre>database)) ((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/03 14:05
_	20	<pre>(management adj informaiotn adj base))) ((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaiotn adj base))) and ((source adj4 address\$4) same</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 14:20
-	15	(stor\$4 sav\$4) same table) (dns (domain adj name adj (server system))) and (address\$4 near10 pool\$4) and (mib (management adj informaiotn adj	USPAT; EPO; JPO; DERWENT;	2002/10/03 16:19
_	178	<pre>base)) (dns (domain adj name adj (server system))) and ((stor\$4 adj6 forward) store-and-forward\$4)</pre>	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 16:20

_	50	((dns (domain adj name adj (server system))) and ((stor\$4 adj6 forward) store-and-forward\$4)) and (rout\$4 near7	USPAT; EPO; JPO; DERWENT;	2002/10/03 16:20
-	31	table) (((dns (domain adj name adj (server	IBM_TDB USPAT;	2002/10/03
		system))) and ((stor\$4 adj6 forward) store-and-forward\$4)) and (rout\$4 near7 table)) and (rout\$4 near6 table) and (group\$4 same address\$4) and (dns (domain	EPO; JPO; DERWENT; IBM_TDB	16:21
-	17	adj name adj (server system))) ((((dns (domain adj name adj (server system))) and ((stor\$4 adj6 forward) store-and-forward\$4)) and (rout\$4 near7 table)) and (rout\$4 near6 table) and (group\$4 same address\$4) and (dns (domain adj name adj (server system)))) and ((rout\$4 near10 table) same (stor\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03
_	26580	sav\$4)) (address\$4 near11 (portion\$4 position\$4 section\$4 )) and (first near8 (portion\$4 position\$4 section\$4 part)) and (second near8 (portion\$4 position\$4 section\$4 part))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 09:12
_	2531	(address\$4 near11 (portion\$4 position\$4 section\$4)) and (first near8 (portion\$4 position\$4 section\$4 part)) and (second near8 (portion\$4 position\$4 section\$4 part)) and ({replac\$4 substitu\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 09:17
_	1111	exchang\$5) near9 address\$4) (address\$4 near11 (portion\$4 position\$4 section\$4 )) and (first near8 (portion\$4 position\$4 section\$4 part)) and (second	USPAT; EPO; JPO; DERWENT;	2003/02/21 09:18
-	566	near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4 same (portion\$4 position\$4 section\$4 part)) (address\$4 near11 (portion\$4 position\$4 section\$4 )) and (first near8 (portion\$4 position\$4 position\$4 position\$4 section\$4 part)) and (second near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4 near9	IBM_TDB  USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 09:20
-	438	(portion\$4 position\$4 section\$4 part)) (address\$4 near11 (portion\$4 position\$4 section\$4 )) and (first near8 (portion\$4 position\$4 section\$4 part)) and (second near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4 near9 (portion\$4 position\$4 section\$4 part)) and ((sav\$4 stor\$4) near8 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21
	317	<pre>(address\$4 near7 (portion\$4 position\$4 section\$4 )) and (first near6 (portion\$4 position\$4 section\$4 part)) and (second near6 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near7 address\$4 near7 (portion\$4 position\$4 section\$4 part)) and ((sav\$4 stor\$4) near6 address\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 09:26
-	87	<pre>(address\$4 near7 (portion\$4 position\$4 section\$4 )) and (first near6 (portion\$4 position\$4 section\$4 part)) and (second near6 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near7 address\$4 near7 ((first second) near5 (portion\$4 position\$4 section\$4 part))) and ((sav\$4 stor\$4) near6 address\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 10:37

-	4	((address\$4 near7 (portion\$4 position\$4 section\$4)) and (first near6 (portion\$4 position\$4 section\$4 part)) and (second near6 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near7 address\$4 near7 ((first second) near5 (portion\$4 position\$4 section\$4 part))) and ((sav\$4 stor\$4) near6 address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21
-	15	<pre>((address\$4 near11 (portion\$4 position\$4 section\$4 )) and (first near8 (portion\$4 position\$4 section\$4 part)) and (second near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4 near9 (portion\$4 position\$4 section\$4 part)) and ((sav\$4 stor\$4) near8 address\$4)) and ((ip mac) near5 address\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21
-	121	((address\$4 near11 (portion\$4 position\$4 section\$4)) and (first near8 (portion\$4 position\$4 position\$4 position\$4 position\$4 section\$4 part)) and (second near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 12:55
	11		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 10:38
-	39	((address\$4 near11 (portion\$4 position\$4 section\$4)) and (right near8 (portion\$4 position\$4 section\$4 part)) and (left near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 13:16
-	140	((left right first second) same (portion\$4 position\$4 section\$4 part) same (replac\$4 substitu\$6 exchang\$5 (in adj place)) same (ip mac address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 13:21
-	39	((left right first second) same (portion\$4 position\$4 section\$4 part) same (replac\$4 substitu\$6 exchang\$5 (in adj place)) near7 (ip mac address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 13:23
-	432	address\$4 and wildcard\$4 and (replac\$4 substitu\$6 exchang\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 14:33
-	65	<pre>(address\$4 nearll wildcard\$4) and (replac\$4 substitu\$6 exchang\$5)</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/02/21 14:51



-	109	(address\$4 near11 wildcard\$4) and	USPAT;	2003/02/21
		(replac\$4 substitu\$6 exchang\$5)	US-PGPUB;	14:50
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	(address\$4 near11 wildcard\$4) same	USPAT;	2003/02/21
		(replac\$4 substitu\$6 exchang\$5)	EPO; JPO;	14:53
			DERWENT;	
			IBM_TDB	
-	11	(address\$4 near11 (wildcard\$4 (wild adj	USPAT;	2003/02/21
		card\$4))) same (replac\$4 substitu\$6	EPO; JPO;	14:58
		exchang\$5)	DERWENT;	
	_		IBM_TDB	
-	2	(address\$4 near11 (wildcard\$4 (wild adj	USPAT;	2003/02/21
		card\$4))) same (replac\$4 substitu\$6	EPO; JPO;	15:42
		exchang\$5) and (wildcard\$4 (wild adj	DERWENT;	1
		card\$4)) and ((ip mac) near5 address\$4)	IBM_TDB	
	_	and (rout\$5 near11 (tabl\$4 databas\$4))		! !
-	3	(address\$4 near11 (wildcard\$4 (wild adj	USPAT;	2003/02/21
		card\$4))) same (replac\$4 substitu\$6	EPO; JPO;	15:52
		exchang\$5) and (wildcard\$4 (wild adj	DERWENT;	
		card\$4)) and ((ip mac) near5 address\$4)	IBM_TDB	
		and ((stor\$4 sav\$4) near11 address\$5)		